

Fall 2011 Climate Information

Fall 2011 begins on Friday, September 23, 2010 at 405 AM CDT, and will end at 1130 PM CST, Wednesday, December 21, 2011, when the Winter of 2011/2012 officially begins.

The table below lists a climate summary of 30 Year Normals from 1981 to 2010, and a few extremes of the climate record for Austin, Del Rio, and San Antonio for September through December. For Precipitation, the latest 30 Year Normal for 1981 to 2010 is shown under Average Rainfall, and the All Time Driest and Wettest September, October, November and December of Climate Record is also included.

Austin/Mabry

Month	High	Low	All time High	All time Low	Average Rainfall	All Time Driest	All Time Wettest
September	90.5	69.4	112	41	2.99	0	20.78
October	81.8	60.6	100	30	3.88	0	12.63
November	71.4	50.6	91	20	2.96	0	14.10
December	62.7	42.3	90	4	2.40	0	16.14

Austin/Bergstrom

Month	High	Low	All time High	All time Low	Average Rainfall	All Time Driest	All Time Wettest
September	90.4	65.3	112	45	2.49	0.02	9.36
October	82.2	55.9	98	32	3.95	0	13.08
November	71.4	45.5	90	20	2.95	Trace	12.49
December	63.6	37.2	91	6	2.25	0.01	12.88

Del Rio

Month	High	Low	All time High	All time Low	Average Rainfall	All Time Driest	All Time Wettest
September	90.8	69.8	110	43	2.20	Trace	15.79
October	82.4	61.0	106	28	2.23	0	11.69
November	72.0	49.6	96	17	0.93	0	4.71
December	64.0	40.8	90	10	0.65	Trace	3.93

San Antonio

Month	High	Low	All time High	All time Low	Average Rainfall	All Time Driest	All Time Wettest
September	90.3	69.1	111	41	3.03	0.01	15.78
October	82.2	60.1	99	27	4.11	Trace	18.07
November	72.2	50.1	94	21	2.28	0	9.46
December	64.0	41.7	90	6	1.91	0	13.96

Temperature Extremes

Cold weather in the Fall of 1976 made the Fall of 1976 the coldest Fall of record for San Antonio, 1885 to 2009, and for Del Rio, 1905 to 2009. Austin's all time coldest fall of record, 1854 to 2009, came in the Fall of 1880. Following the extreme heat in the summer of 1980 and 1989, a few brisk cool fronts made their way through the area in October of 1980 and October of 1989. In late October 1993, a strong cold front came through, and established record October low temperatures at Del Rio, 28, and San Antonio, 27, with a tie of 30 at Austin.

The average date of the first freeze in the fall for South Central Texas varies from Early to Mid November in the Hill Country to Early December over southern portions of South Central Texas. Freezes have been observed as early as late October, and the last of such an occurrence was in late October 1993. In some years the first freezes have waited until the December to March Period. October, like February, can have many dynamic swings in conditions from warm to cold and wet to dry. Following the early September extreme heat wave in September of 2000 and in September of 2005, conditions cooled off early and rather quickly from September to October of 2000 and 2005.

Warm periods have shown up and approached summer like conditions in the past on Autumn Days. Since 1900 the warmest fall of record for Austin, Del Rio and San Antonio came in 1931. In some years some of the hottest days of the year, in the modified subtropical climate over South Central Texas, have come as late as late September to early October.

In 2005, the hottest days of the year came on September 25 and 26. Record high temperatures for the Fall Season were established at Austin, Del Rio and San Antonio on September 25th, 2005. The Fall record was tied at Austin Mabry on September 26th, 2005. The September 25, 2005 highs were as follows: Austin Bergstrom 108; Austin Mabry 107; Del Rio 107; and San Antonio 105. On September 26, 2005 the highs were 107 at Austin Bergstrom and Austin Mabry; 106 at Del Rio; and 103 at San Antonio.

In 1979 on October 3rd Del Rio's high of 106 tied the 1979 high of 106 observed in the summer of 1979. San Antonio's high of 98 and Austin's high of 97 October 3, 1979 also tied the 1979 high that had occurred in the summer of 1979. On October 2, 1938, Austin had its warmest and only 100 degree day of that year, when the high reached 100. In 1923 the high at Austin was also 100 on October 2nd. In October 1991 an unseasonably warm period caused highs to rise to 99 on October 12 at San Antonio, 98 at Austin and 95 at Del Rio. On November 4, 1988, highs rose to 94 at San Antonio, 89 at Austin and 96 at Del Rio. On December 11, 1987, warm and clear weather affected the area, with highs rising to 88 at San Antonio; 82 at Austin and 89 at Del Rio.

Rainfall Extremes

Rainfall trends have been very extreme, from wet to very dry. Since 1970 the falls of 1979, 1988, 1999, 2007, and 2008 were very dry. The fall of 2010 began wet in September and became dry from October to December 2010. At Austin and San Antonio since 1970, the falls of 1973, 1985, 1994, 1998, 2000, 2001, 2002, 2004 and 2009 have been rather wet. Additional wet Autumns for Austin came in the Fall of 1974 and 1986. For Del Rio, since 1970, rainy falls came in 1970, 1990, 1991, 2000, and 2004. During the floods and heavy rain event of October 1998, the heavy rains fell east of Del Rio. In the past 30 years, October rains were rather extreme in 1981, 1994, 1998, 2002, 2004, and 2009. In October 1981, first the remnants of Tropical Storm Lidia and Hurricane Norma from the Pacific moved over the region aloft and caused a heavy rain event. Late in October 1981, a slow moving cool front and nearly stalled upper-level trough created another heavy rain event, with plenty of high level moisture from the remnants of Hurricane Otis to the southwest over Western Mexico. In October 1994, a heavy rain event with thunderstorms moved through the Austin and San Antonio Areas on Friday Night October 7th, and in the early morning of Saturday October 8, 1994. Another rain event affected the area about a week later from the remnants of Hurricane Rosa that moved over the area aloft. Another heavy rain event followed and formed in association with a slow moving upper-level trough from the west. The heaviest rains in this event fell over the eastern part of South Central Texas, with even heavier rains over Southeast Texas. After plentiful rains in September 1998, from the effects of Tropical Storm Frances, extreme floods in October 1998 came and were caused by a slow moving cool front, multiple meso-scale boundaries, a slow moving upper-level trough, by abundant low level moisture from the Gulf of Mexico, and by high level moisture from the southwest, left by the remnants of Pacific Tropical Storms Lester and Madeline over the Eastern Pacific Ocean and Western Mexico.

The fall of 1982 started dry, and then turned into a stormy period with the Strong El Nino/Southern Oscillation Event of 1982-83, that continued into the winter of 1982-83 and spring of 1983. The Fall of 1982 rains began to increase in late November. Likewise the fall of 1991 started out dry, and then turned into a wet and stormy period from December 1991 to the Spring of 1992, in the El Nino/Southern Oscillation Event of the early 1990s. In the late 1990's another stormy period showed up from December 1997 through March 1998, associated with the 1997/1998 El Nino/Southern Oscillation Event. The Fall of 2000 was also a stormy period for Fall. A stormy event, with flash flooding, came in the Fall of 2001. On November 15, 2001, a severe weather and flash flood event broke out over parts of Central and South Central Texas. The Fall of 2002 brought a series of severe weather and heavy rain events also. In the Fall of 2004 heavy rains in October and November caused flooding.

November 2004 ended up the wettest November of record for Austin Mabry, San Antonio and Del Rio. November 2004 was the 3rd wettest November of Record at Austin Bergstrom. Even though it was the wettest of record at San Antonio, with 9.46 inches of rain, and wettest for Del Rio with 4.71 inches of rain, the long history of Fall and Early Winter Monthly Rainfall from October to December shows months that have had between 10 and 20 inches of rain in the area. November 2004 rain at Austin Mabry had a November record of 14.10 inches of rain. Austin Bergstrom had 9.91 inches, the 3rd wettest November of Record, after 10.51 inches in November 2001 and 12.49 inches in November of 1974. On November 15, 2001, a flood event came to the area, with very heavy rains and severe weather in the Austin Area to San Antonio. Rainfall amounts on November 15, 2001 were as follows: Austin Bergstrom 8.68 inches; Austin Mabry 7.55 inches; and San Antonio 2.18 inches. October 1998, another extreme rain example for a Fall month, brought between 15 and near 30 inches of rain. Another 15 to 30 inch rain event came to Southeast Texas in October 1994.

Floods came during Christmas of 1991, when between 10 and 20 inches of rain fell in the area in December of 1991.

In November of 1974 a flood event came to Austin on November 23rd. In this heavy rain event Austin picked up 4.62 inches on the 23rd, at Austin Mueller Airport, and 0.47 inches on the 24th. Austin Bergstrom picked up 8.70 inches of rain November 23, 1974 and an additional 1.18 inches November 24, 1974.

The Fall of 2009 was one of the wetter Autumn seasons at Austin and San Antonio, that followed the driest 2 year non-overlapping period at San Antonio and 3rd driest at Austin from September 2007 to August 2009. September to November 2009 ended as the 5th wettest September to November at San Antonio; the 7th wettest at Austin Bergstrom; the 12th wettest at Austin Mabry; and the 54th wettest September to November at Del Rio. The list below shows the wettest September to November periods at Austin, San Antonio, and Del Rio.

The wettest September to November periods at San Antonio from 1871 to 2010 follow. The 1981 to 2010 average rainfall from September to November is 9.42 inches.

- 1. September to November 1998 23.04**
- 2. September to November 1874 21.39**
- 3. September to November 2004 20.85**
- 4. September to November 1913 20.62**
- 5. September to November 2009 20.34**
- 6. September to November 1946 18.95**
- 7. September to November 1957 18.71**
- 8. September to November 1973 18.23**
- 9. September to November 1919 17.83**
- 10. September to November 1942 17.70**

The wettest September to November periods at Austin Mabry from 1856 to 2010 follow. The 1981 to 2010 average rainfall from September to November is 9.83 inches.

- 1. September to November 1998 23.19**
- 2. September to November 1923 22.57**
- 3. September to November 1921 22.43**
- 4. September to November 1874 20.70**
- 5. September to November 2004 20.29**
- 6. September to November 1925 20.05**
- 7. September to November 1913 19.16**
- 8. September to November 1973 19.13**
- 9. September to November 1957 18.17**
- 10. September to November 1870 17.98**
- 11. September to November 1919 17.27**
- 12. September to November 2009 16.54**

The wettest September to November periods at Austin Bergstrom from 1943 to 2010 follow. The average rainfall from September to November is 9.39 inches.

1. September to November 1957 22.93
2. September to November 1998 21.47
3. September to November 1986 20.19
4. September to November 2001 18.72
5. September to November 2004 17.84
6. September to November 1974 17.75
7. September to November 2009 16.68
8. September to November 1973 16.67
9. September to November 1960 15.99
10. September to November 2002 15.92

Del Rio was wet of the heavier rains in the Fall of 2009 and had 4.73 inches of rain from September to November, slightly less than the 1981 to 2010 average of 5.36 inches. The wettest September to November periods at Del Rio from 1906 to 2010 follows.

1. September to November 1964 18.26
 2. September to November 1969 15.47
 3. September to November 1919 14.59
 4. September to November 1930 13.92
 5. September to November 2004 13.24
 10. September to November 1923 10.89
 20. September to November 2005 8.74
 30. September to November 1918 7.39
 40. September to November 1942 6.37
 50. September to November 1945 5.02
54. September to November 2009 4.73

A few December flood events have also affected the area in the past. In the 1980s, heavy rain events came to South Central Texas in late December 1984 and December 1986. A heavy rain event affected Southeast Texas in December of 1982. In December of 1913 floods came to the area also. From December 1 to 4, 1913, widespread floods came to Central and Southeast Texas, plus parts of South Central Texas. San Marcos received 15.5 inches of rain in one day. Austin received 10.66 inches of rain on the 3rd and 4th. Some parts of San Antonio got 7 inches of rain in one day; however the official amount on December 4th, 1913 was 2.02 inches. Another flood event came to the area in late December 1991. From past climate records, it can be seen that flooding has been a Fall and Winter Weather Hazard for Central and South Central Texas.

Winter Precipitation

In late October of 1993, the earliest date of observed snowfall was observed at Del Rio and San Antonio on October 30th, 1993, when Del Rio had 1.2 inches and San Antonio a Trace. The heaviest snowfall of record for Austin so far, came in the Fall, on November 22 to 23, 1937, when 9.7 inches of snow was measured. This exceeded the record winter snow of record for Austin of 6.5 inches January 30, 1949. In November 1996, a late November winter precipitation event affected the Texas Hill Country and adjacent parts of Central and South Central Texas. In early October

of 2000, a few days of unseasonably cold weather affected the area from October 7th to 10th, 2000. The Fall of 2000 was cooler, wetter and stormier than normal. At the end of the Fall of 2000, a freezing precipitation event affected the area December 12th and 13th, then clearing skies followed in the late morning and afternoon of December 13th, 2000. In late November 2001 a winter precipitation event affected the Texas Hill Country and parts of Central and South Central Texas on November 28 to the predawn hours of November 29, 2001. A trace of snow was observed at Del Rio and Austin. In the northern part of Val Verde County, snowfall near 2 to near 6 inches was observed on November 28, 2001. On December 7, 2005 to the early morning hours of December 8, 2005, a winter precipitation event affected the area. A wave of cold arctic air moved across the region on December 7th and was accompanied by a rain making weather system aloft. This brought precipitation in the afternoon to evening of the 7th, that changed to freezing rain and sleet in the late afternoon and evening over parts of the Hill Country to Central Texas, in the Austin Area, and south to the San Antonio Area. The freezing rain continued in the early morning hours of December 8th over the eastern parts of South Central Texas. The most freezing rain affected Williamson, Travis, Comal, Hays and Lee Counties. On December 9, 2008 another early December winter precipitation event affected parts of Central and South Central Texas. After temperatures warmed to the 70s and 80s during the day of December 9th 2008, temperatures fell 40 to 50 degrees in 6 to 12 hours in wake of a fast moving cold front. A winter precipitation event followed the evening of December 9th to the early morning hours of December 10th, 2008.

Wind Chill

In Year 2001 the NWS changed the way wind chill was reported. For information on wind chill, [See Wind Chill Chart](#).